HP Color LaserJet Pro M454 series



HP Color LaserJet Pro M454 printer. Designed to let you focus on growing business, staying ahead.

Winning in business means working smarter. The HP Color LaserJet Pro M454 printer is designed to let you focus your time where it's most effective-helping to grow your business and staying ahead of the competition.



HP Color LaserJet Pro M454nw



HP Color LaserJet Pro M454dn



HP Color LaserJet Pro M454dw

Built to keep you—and your business—moving forward.

- Help decrease the amount of paper used in the office by printing on both sides of the page.
- Grab pages and go—without waiting. This device wakes up and prints first page out fast.¹
- Print wirelessly with or without accessing the network with dual band Wi-Fi and Wi-Fi direct.^{2,3,4}
- ROAM compatible for easy printing from virtually anywhere⁵

Best -in-class security ⁶

- A suite of embedded security features help protect your printer from being an entry point for attacks.⁶
- Help secure confidential information with optional PIN/Pull printing to retrieve print jobs.⁷
- Optional HP JetAdvantage Security Manager lets you set configuration policies and validate settings.⁸
- Thwart potential attacks and take immediate action with instant notification of security issues.¹¹

Simply designed to uncomplicate your day

- Set up this printer fast and easily manage device settings to help increase overall printing efficiency.
- Make the most of your office space with a printer that conveniently fits into your work style.
- Work without delays or messes, with cartridges featuring auto seal removal.
- Tackle tasks quickly and easily—with the simple 2.7" (6.8cm) color touchscreen.

Sustainability is smart business

- Avoid frustrating reprints, wasted supplies, and service calls using Original HP toner cartridges.
- Help save paper right out of the box. The duplex print setting is set at default paper savings mode.⁹
- Saves up to 11% energy over prior products.¹⁰
- Help save energy with HP Auto-on/Auto-off technology. ¹²

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at http://www.hp.com/go/learnaboutsupplies

Product walkaround



HP Color LaserJet Pro M454dw

Series at a glance

Model (product number)	M454nw (W1Y43A)	M454dn (W1Y44A)	M454dw (W1Y45A)	
Functions	Print	Print	Print	
Print speed (black and colour) ⁶	Up to 27 pages per minute (A4) <i>(all models)</i>			
Two-sided printing ⁵	Manual	Automatic	Automatic	
50-sheet multipurpose tray 1, 250-sheet tray 2	✓	\checkmark	\checkmark	
Optional input accessory: 550-sheet paper tray	\checkmark	\checkmark	\checkmark	
Easy-access USB port ¹	Not available	Not available	\checkmark	
Control panel ³	2-line LCD	2-line LCD	6.9 cm (2.7-inch) colour touchscreen	
Input capacity (standard/maximum ⁷)	Up to 300/850 sheets (all models)			
Recommended monthly page volume ⁸	Up to 4,000 pages (all models)			
Cartridge yields ⁹ (A/X)	Black: ~2,400/7.500 pages; Colour: ~2,100/6,000 pages (all models)			
Dual-band Wi-Fi with Bluetooth® Low Energy ⁴	\checkmark	Not available	\checkmark	

¹ An administrator must enable the easy-access USB port before use.
 ² Requires purchase of separate USB flash drive with at least 16 GB capacity.
 ³ The colour touchscreen is only available on the HP Color LaserJet Pro M454dw model. The nw and dn models have a 2-line LCD display.

⁴ Wrieless operations are compatible with 2.4 GHz and 5 GHz operations only. Wi-Fi is a registered trademark of Wi-Fi Alliance[®]. Bluetooth is a trademark owned by its proprietor and used by Hewlett-Packard Company under license. Learn more at hp.com/go/mobileprinting.
⁵ Automatic two-sided printing is not available on the HP Color LaserJet Pro M454nw model.

- ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁷ Purchase of optional paper-handling accessories required to reach maximum input capacity.
- ⁸ Recommended Monthly Page Volume (RMPV): HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended

⁹ Actual yields and costs vary considerably depending on images printed, number of colour pages printed, and other factors. Optional high-yield cartridges are not included in printer purchase and must be purchased separately.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network **Configuration Service**

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit W W including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices







HP Care Pac



Top features

Today's businesses are always on, and always connected. Choose a printer that can keep up with how you actually work, collaborate, and get things done.

HP Print Security isn't just about securing printers. It's about helping to secure your network with real-time threat detection, automated monitoring, and software validation—designed to detect and stop an attack as it happens.⁶

You have enough to worry about each day. It's easy to accomplish what you need—and exceed your own expectations—with a streamlined printer that's simple to use.

Business is all about resource management, and finding efficiencies is everyone's responsibility. HP LaserJet printers are designed with the environment in mind, so you can handle what you need while conserving energy wherever possible.

Product		
W1Y43A	HP Color LaserJet Pro M454dn	
W1Y44A W1Y45A		
Accessories	5	
CF404A	HP LaserJet 550-sheet Feeder Tray	
POR81AA	HP v222w 16GB Mini USB Drive	
Supplies		
W2040A	HP 416A Black Original Laser Jet Toner Cartridge (2,400 pages)	
W2040X	HP 416X High Yield Black Original LaserJet Toner Cartridge (7,500 pages)	
W2041A	HP 416A Cyan Original Laser Jet Toner Cartridge (2,100 pages)	
W2041X	HP 416X High Yield Cyan Original LaserJet Toner Cartridge (6,000 pages)	
W2042A	HP 416A Yellow Original LaserJet Toner Cartridge (2,100 pages)	
W2042X	HP 416X High Yield Yellow Original Laser Jet Toner Cartridge (6,000 pages)	
W2043A	HP 416A Magenta Original Laser Jet Toner Cartridge (2,100 pages)	
W2043X	HP 416X High Yield Magenta Original LaserJet Toner Cartridge (6,000 pages)	

HP Care Packs

ne care	Facts
UB9U7E	HP 3 year Next Business Day Service for Color LaserJet Pro M454
UB9U8E	HP 4 year Next Business Day Service for Color LaserJet Pro M454
UB9U9E	HP 5 year Next Business Day Service for Color LaserJet Pro M454
UC0Q8E	HP 3 year 4 hour 9x5 Service for Color LaserJet Pro M454
UC0Q9E	HP 4 year 4 hour 9x5 Service for Color LaserJet Pro M454
UCOROE	HP 5 year 4 hour 9x5 Service for Color LaserJet Pro M454
UB9V0E	HP 3 year Next Business Day Exchange Service for Color Laser Jet Pro M454
UB9V1E	HP 3 year Onsite Exchange Service for Color LaserJet Pro M454
UB9V2E	HP 3 year Return to Depot Service for Color Laser Jet Pro M454
UB9V3P	E HP 1 year Post Warranty Next Business Day Service for Color LaserJet Pro M454
UCOR1P	E HP 1 year Post Warranty 4 hour 9x5vService for Color LaserJet Pro M454
UB9V4P	E HP 1 year Post Warranty Next Business Day Exchange Service for Color LaserJet Pro M454
UB9V5P	E HP 1 year Post Warranty Onsite Exchange Service for Color LaserJet Pro M454
UB9V6P	E HP 1 year Post Warranty Return to Depot Service for Color LaserJet Pro M454
Durate	

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

HP Color LaserJet Pro M454 series

Model	HP Color LaserJet Pro M454nw	HP Color LaserJet Pro M454dn	HP Color LaserJet Pro M454dw		
Product number Functions	W1Y43A Print	W1Y44A	W1Y45A		
Print	Plint				
Duplex print options	Manual (driver support provided) Automatic (default)				
Print speed ¹²	Black (A4, normal): Up to 27 ppm; Black (letter, normal): Up to 28 Color (A4, normal): Up to 27 ppm; Color (letter, normal): Up to 28	3 ppm; Black (A4, duplex): Up to 24 ipm; Black (letter, duplex): Up t 8 ppm; Color (A4, duplex): Up to 24 ipm; Color (letter, duplex): Up to	o 25 ipm o 25 ipm		
First page out ⁸	Black (A4, ready): As fast as 9.7 sec; Colour (A4, ready): As fast a	s 11.3 sec; Black (A4, sleep): As fast as 13.8 sec; Colour (A4, sleep)	As fast as 15.3 sec		
Print technology	Laser	lack (parmal) 600 y 600 dai. Up to 38, 400 y 600 aphaarad dai			
Print resolution	Black (best) 600 x 600 dpi, Up to 38, 400 x 600 enhanced dpi; Bl Colour (best): 600 x 600 dpi, Up to 38, 400 x 600 enhanced dpi;	Color (normal): 600 x 600 dpi, Up to 38, 400 x 600 enhanced dpi			
Print resolution technology	HP ImageREt 3600, PANTONE® calibrated				
Print cartridges number	4 (1 each black, cyan, magenta, yellow)				
Standard print languages	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF, URF, PWG Raster Native Office, PWG Raster Native Office, PWG Raster				
Printer management	HP Printer Assistant; HP Utility (Mac); HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)				
Connectivity			2		
Standard connectivity	1 Hi-Speed USB 2.0 port; 1 host USB at rear side; built-in Gigabit Ethernet 10/100/1000 Base-TX network port; 1 Wireless 802.11b/g/n/2.4/5 Ghz Wi-Fi radio	1 Hi-Speed USB 2.0 port; 1 host USB at rear side; built-in Gigabit Ethernet 10/100/1000 Base-TX network port	1 Hi-Speed USB 2.0 port; 1 host USB at rear side; built-in Giga Ethernet 10/100/1000 Base-TX network port; 1 Wireless 802.11b/g/n/2.4/5 Ghz Wi-Fi radio		
Mobile printing capability ⁶	Apple AirPrint™; Google Cloud Print™; HP ePrint; HP Smart App and other mobile Apps; Mopria™ Certified; ROAM capable for easy printing; Wi-Fi® Direct printing				
Wireless capability	Yes, built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct; Bluetooth Low-Energy	Not available	Yes, built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct; Bluetooth Low-Energy		
Network capabilities	Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-cro	ossover Ethernet; Authentication via 802.1x			
Memory	Standard: 256 MB NAND Flash, 512 MB DRAM; Maximum: 256 MB NAND Flash, 512 MB DRAM MB NAND Flash, 512 MB DRAM; Maximum: 51 MB NAND Flash, 512 MB DRAM; Maximum: 51 MB NAND Flash, 512 MB DRAM				
Processor speed	1200 MHz				
Duty cycle (monthly) ⁹ Paper handling	Up to 50,000 pages; Recommended monthly page volume¹⁰: 75	50 to 4000			
Input	50-sheet multipurpose tray, 250-sheet input tray				
Output	150-sheet output bin				
Media types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, Tray 1: 60 to 176 q/m ² (up to 200 g/m ² with postcards and HP	preprinted, prepunched, recycled, rough), postcards, labels, envelo	opes		
Media weight	Color laser glossy photo papers); Taya 2: 60 to 153 g/m² (up to 200 g/m² HP Color laser glossy photo papers); Taya 2: 60 to 153 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): optional Tray 3: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Glossy media)	apers); Tray 2: 60 to 163 g/m ² (up to 176 g/m ² (up to 176 g/m ² (up to 200 g/m ² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m ² (up to 176 g/m ² HP Color laser glossy photo papers); optional Tray 3: 60 to 163 g/m ² (up to 176 g/m ² with postcards, up to 200 g/m ² HP Color laser glossy photo papers); optional Tray 3: 60 to 163 g/m ² (up to 176 g/m ² with postcards, up to 200 g/m ² with postcards to 163 g/m ² (up to 176 g/m ²) and 3: 60 to 163 g/m ² (up to 176 g/m ²) postcards, up to 150 g/m ² (up to 176 g/m ²) postcards, up to 150 g/m ² (up to 176 g/m ²)			
Media Sizes Custom	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 100 :				
Dimensions (w x d x h) Weight	412 x 453 x 295 mm 17.5 kg	412 x 469 x 295 mm 18.9 kg			
What's in the box ¹	HP Color Laser Jet Pro M454nw; 4 preinstalled Introductory HP Laser Jet Toner cartridges (Black, Cyan, Magenta, Yellow: ~1200 pages); In-box documentation (Getting Started Guide, Install Poster), regulatory flyer; Internet connection is required to set up the printer. HP printer software is available at http://www.hp.com/support; Power cord; USB cable	HP Color LaserJet Pro M454dn; 4 preinstalled Introductory HP LaserJet Toner cartridges (Black, Cyan, Magenta, Yellow: ~ 1200 pages); In-box documentation (Getting Started Guide, Install Poster), regulatory flyer; Internet connection is required to set up the printer. HP printer software is available at http://www.hp.com/support; Power cord; USB cable (AP only)	HP Color LaserJet Pro M454dw; 4 preinstalled Introductory HP LaserJet Toner cartridges (Black, Cyan, Magenta, Yellow: ~120 pages); In-box documentation (Getting Started Guide, Install Poster), regulatory flyer, warranty card (China, Mexico); Interne connection is required to set up the printer. HP printer softwar is available at http://www.hp.com/support; Power cord; USB cable.		
Software included	No software solutions are included in the Box, only on http://hp.	com, http://123.hp.com/laserjet	coole.		
Warranty features	One-year Bench/Depot Repair warranty. Warranty and support or about HP award winning service and support options in your reg	options vary by product, country and local legal requirements. Con ion (wty code 4F: wty ID A033)	ntact your Contractual Vendor or go to hp.com/support to learn		
Systems	about in award winning service and support options in your reg	ion. (wty code +2, wty io hoss)			
Compatible operating systems	Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Fligh Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides, Search for your (Product Name) User Guide, Search for the Supported Operating Systems see thio: USer Operating Systems, For more information on the supported operating systems see tho: USer Operating Systems, For more information on the supported operating systems see tho: USer Operating Systems See thirts://www.hp.com/golu				
Minimum system requirements	PC:2 GB available hard disk space, Internet connection, USB port Mac: 2 GB available hard drive space, Internet connection or USB	, Internet browser. For additional OS hardware requirements see r port, OS hardware requirements see apple.com	microsoft.com;		
Security management	Secure Boot; Secure Firmware Integrity; Runtime Code Integrity; password protected EWS; secure browsing via SSL/TLS 1.0; TLS 1.1; TLS 1.2; IPP over TLS; Network: enable/disable network ports and features; unused protocol and service disablement; SMMPv1; SMMPv2; and SMMPv3; community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator settings; 802.1 x authentication (EAP-TLS, and PEAP); authentication wid WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetAdvantage Security Manager; IPPS 84 scalable TrueType fonts	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1 x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager	Secure Boot; Secure Firmware Integrity; Runtime Code Integrit password protected EWS; secure browsing via SSL/TLS 1.0, TL 1.1; TLS 1.2; IPP over TLS; Network: enable/disable network ports and features; unused protocol and service disablement; SMMPv1; SNMPv2; and SMMPv3; community password change HP eprint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator settings; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmwar updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetAdvantage Security Manager; IPPS		
Control panel	2-line backlit LCD graphic display; 5 buttons (Cancel, Select, Rev	erse, Right/Left arrows); LED indicator lights (Attention. Ready)	2.7 inch intuitive color touchscreen; 3 Buttons (Home, Help,		
Display			Back) 2.7-in intuitive color touchscreen		
Power	2-interbacktit CLD graphic display Power supply type: Internal (built-in) Power Supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); VAC (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 200-volt input voltage: 220 to 240 VZ (+/- 3 Hz); 200-volt input v				
Acoustics	Acoustic power emissions ¹⁴ : 6.2 B(A) ; Acoustic power emissions (ready): 3.4 B(A) ; Acoustic pressure emissions bystander (active, printing): 48 dB(A) ; Acoustic pressure emissions bystander (ready): 14 dB(A)	Acoustic power emissions ¹⁴ : 6.2 B(A) ; Acoustic power emissions (ready): 3.4B(A) ; Acoustic pressure emissions bystander (active, printing): 48 dB(A) ; Acoustic pressure emissions bystander (ready): 14 dB(A)			
Environmental ranges	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 27°C; Operating humidity range: 10 to 80% RH (non-condensing); Recommended operating humidity range: 20 to 70% RH (non-condensing)				
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009+A2:2013/EN 60950-1:2006 +A11:2009+A1:2010+A12:2011+A2:2013; IEC 60825-1:2014/EN 60825-1:2014 (Class 1 Laser/LED Product); IEC 62479: 2010/EN 62479: 2010				
	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint [™] , Google Cloud Print 2.0, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SMMPV1, SMMPv2, SMMPv3, HTTP/HTTP5, Syslog, TTP FW Download				

Footnotes

¹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims, Exact speed varies depending on the system configuration, software application, driver. and document complexity. Letter: Black/Color-9.8/12.1, A4: Black/Color 9.9/12.4 sec.

² Wireless operations are compatible with 2.4 GHz and 5 GHz operations. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/ao/mobileprinting

³ Features is only supported by the HP Laser Jet Pro M454nw and M454dw printers. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁴ Feature is supported on the HP LaserJet Pro M454nw and M454dw printers only. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct–capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Learn more at http://www.hp.com/go/businessmobileprinting

⁵ Feature is only available for the HP Color Laser Jet Pro M452dw. Requires a wireless access point and an Internet connection to the printer. Services require registration. App availability varies by country, language, and

agreements and requires a firmware upgrade. For details, visit hpconnected.com
⁶ Based on HP review of 2019 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

⁷ Pin printing enabled via USB installed in rear of device. ⁸ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager

⁹ All new product introductions beginning in Fall 2019 will include consistent worldwide default duplex settings (across bundles/drivers); Spring 2019 will include consistent worldwide default duplex settings for most products

across the most common drivers. ¹⁰ Based on HP Internal testing using normalized TEC Value, 2019.

¹¹ Instant threat notifications can appear on the device control panel when a potential threat occurs from malicious intent or there is a bug or vulnerability in the firmware code of the device. If this error raises concern, please contact your company IT representative or, if unavailable, HP Support, who can investigate the cause through analysis of device syslog data using a standard SIEM tool from McAfee, Splunk, Arcsight or SIEMonster. The control panel error message may show an error code on a blue screen during code signature checks or memory write intrusions. ¹² HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

Technical specifications disclaimers

¹ In box cartridges yield ~1,200 color composite (C/Y/M) and ~1,200 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions.

² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typicallty based on measurement of 115V device.

³ BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

Toner cartridges designed for distribution and use within a designated region only; will not work outside of designated region.

⁵ Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies

⁶ Local printing requires mobile device and printer to be on the same network (usually Wi-Fi access points bridge wireless to wired connections) or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Remote printing requires an Internet connection to an HP web-connected printer. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. For more information visit hp.com/go/mobileprinting. To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam ⁷ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

⁸ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁹ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate

¹⁰ HP recommends that the number of pages per month of imaged output to exist a stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period

¹¹ HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. For more information, visit http://www.hp.com/go/SureSupply; only available with Original HP supplies; Internet access required.

¹² Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

To learn more, visit http://www.hp.com

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. Published in APJ 4AA7-4956EEP, May 2019

